

A FUZZY LOGIC METHOD FOR ADAPTIVELY EVALUATING THE VALIDITY OF SENSOR DATA

BACKGROUND OF THE INVENTION

Fuzzy logic has been applied to many different types of problems since introduced by Zadeh in 1965. Unlike Boolean logic, fuzzy logic is suited to evaluating subjective situations. For agriculture, the subjectivity of fuzzy logic is particularly appealing (Ribeiro, 1999, Wang, 1996, Zhang and Litchfield, 1991, 1994). Field conditions – weather, the position and intensity of the sun and dust, just to name a few – and crop conditions – size, shape, weed and pest pressure – combine to create a difficult situation for conventional evaluation methods. For example, given a pile of fruit, we can separate apples and oranges. If we are looking at a Jonamac apple, our description might include red, a hint of green and a mostly round shape. If we look at a Granny Smith apple, the description might include green, smooth and oblong. An orange might have an orange color, a rough texture and round as descriptors. While we can verbally describe apples and oranges, it's much more difficult to create a mathematical description of an apple or orange that will apply for all situations. The variability common in agriculture makes fuzzy logic appealing. Fuzzy logic is based on set theory. In Boolean set theory, a value either is or is not a member of a set. In fuzzy logic, the member can be partially a member of a set. For example, a Granny Smith apple is partially round. The apple might have a value of $\mu_{GS}(x)$ round and $(1 - \mu_{GS}(x))$ not round. Each element – or in this case, fruit in the pile – is evaluated independently based on a set of membership functions. The membership functions are used to describe the classes in question. The membership functions stem from the linguistic classes used to describe the items. The number of membership classes and the membership functions within the class will vary with the situation. In the fruit example, membership classes might include roundness, a color index and surface texture. Within the roundness class, there may

be two functions (round / not round) while other classes (color index) may require more functions to adequately describe the situation. With Boolean logic, an element is either a member of the class (1) or it is not (0). With fuzzy logic, an element can partially belong to multiple classes. For any two fuzzy sets (S1 and S2), three basic
5 operations can be defined.

Intersection:

$$\mu_{S1 \cap S2} = \min \{ \mu_{S1}(u), \mu_{S2}(u) \}$$

Union:

$$\mu_{S1 \cup S2} = \max \{ \mu_{S1}(u), \mu_{S2}(u) \}$$

10 Complement:

$$\mu_{S1} = 1 - \mu_{S1}$$

In machine vision, variability in the target and scene make fuzzy logic attractive. Machine vision is one of the primary sensors for an ongoing agricultural vehicle guidance project at the University of Illinois at Urbana – Champaign. Sensors
15 have included machine vision, GPS, and a variety of heading sensors (Stombaugh, *et al.*, 1998, Benson, *et al.*, 1998, Noguchi, *et al.*, 1998).

Sensor fusion – specifically Kalman filtering – has played an important role in the project. With an extended Kalman filter, an estimator calculates the expected states of the vehicle based on the most recent state information. An observer
20 evaluates the sensor output and it is validated against the estimated output. A large difference between the expected and actual sensor value is indicative of a problem with the sensor or sensor processing (Hague and Tillett, 1996).

A variety of methods can be used to evaluate the output from the sensor. Noguchi, *et al.*, (1998) described a probability density approach, in which the sensor
25 variability was characterized *a priori*. A predetermined probability, however, cannot account for situational variations. An adaptive, or “on-the-fly” system, can account for changes in the scene.

An adaptive system uses flexible parameters to evaluate the sensor output. The nature of the evaluation parameter depends on the system. An internally referenced parameter, for example standard deviation of the output, can be used to detect significant outliers. An example of an adaptive evaluation system is presented in this application. An externally referenced parameter could be tied to another sensor. An example would be comparing the heading from a fiber optic gyro to the heading from a time series of GPS positions to determine whether the fiber optic gyro signals were indeed valid. In a system like this, the heading from the fiber optic gyro would provide the raw sensor data, and the time series would be the estimated sensor data, as those terms are used below.

In contrast, a fixed membership function cannot account for variability. In agriculture, weather, weeds and other field conditions can cause changes in sensor output. A fixed threshold is harshly optimistic (actual sensor output never meets the actual conditions), too generous (the system never encounters a unacceptable value), or somewhere in-between. In this application, a generic fuzzy quality analysis module is presented. The module was developed and used to evaluate simulated sensor data.

Ideally, sensors should always produce high quality, repeatable measurements. Unfortunately, real world variations can cause sensor errors. With only a single sensor, it can be difficult to tell when there is a problem with the sensor. With multiple sensors, we can begin to compare the results between sensors and determine when there is an error. The question can still remain – which sensor is “right” and which is “wrong”. What is needed is an improved method for determining whether a sensor signal is right or wrong. A sensor may not provide a signal that truly indicates a sensed parameter for many reasons. For example, the sensor or its associated circuitry may be broken. The sensor and its circuitry may not be broken, but the sensor may have been moved away from the environment it should be sensing to another environment, such as a temperature sensor that has been pulled out of its environment, or a camera that has been bumped away from its proper field of view. A sensor may be in the proper location, but may be fouled with environmental matter such as stray leaves that fly in front of a camera or an oxygen sensor in a car that has become carbon fouled.

What is needed is a method for determining whether the signal provided by a sensor is valid. It is an object of the application to provide such a method.

SUMMARY OF THE INVENTION

In accordance with a first embodiment of the invention, a method for
 5 determining the validity of a sensor signal is provided, including the steps of
 providing a sensor signal from a sensor, providing an estimated sensor signal,
 determining the difference between the sensor signal and the estimated sensor signal,
 calculating the standard deviation of the difference, scaling the points of inflection of
 a fuzzy logic membership function proportional to the standard deviation, and
 10 processing the sensor signal using the fuzzy logic membership function to determine
 whether the sensor signal is valid or not.

The step of processing may occur before the step of scaling or the step of
 scaling may occur before the step of processing. The fuzzy logic membership
 function may have at least two domains, including at least one domain that evaluates a
 15 sensor signal as acceptable, and at least one domain that evaluates a sensor signal as
 unacceptable. The step of scaling may include the step of multiplying each of at least
 two points of inflection of the fuzzy logic membership function by the standard
 deviation.

In accordance with a second embodiment of the invention, a method for
 20 determining the quality of a sensor signal in a fuzzy logic controller is provided,
 including the steps of providing a first cumulative scatter value indicative of a
 cumulative degree of difference between a plurality of sensor signal values and
 estimated sensor signal values corresponding to each of the sensor signal values,
 providing a fuzzy logic membership function in which the x-axis values of the points
 25 of inflection of a plurality of fuzzy logic domains are derived from the first
 cumulative scatter value, retrieving a further sensor signal value, comparing the
 further sensor signal value with a further estimated sensor signal value, calculating a
 further scatter value indicative of the individual degree of difference between the
 further sensor signal value and the further estimated sensor signal value, combining
 30 the further scatter value with the first cumulative scatter value to provide a second

cumulative scatter value indicative of the cumulative degree of difference and the individual degree of difference in combination, and revising the fuzzy logic membership function such that the x-axis values of the points of inflection of the plurality of fuzzy logic domains are derived from the second cumulative scatter value.

- 5 The step of providing a first cumulative value may include the steps of calculating a first difference between a first of the plurality of sensor signal values and a first of the estimated sensor signal values, calculating a second difference between a second of the plurality of sensor signal values and a second of the estimated sensor signal values, and calculating the first cumulative scatter value from at least the
- 10 foregoing first and second differences. The first cumulative scatter value may be a function of the standard deviation of the first and second differences.

- In accordance with a third embodiment of the invention, a method of individually determining whether a plurality of sequential sensor values are valid is provided, including the steps of reading a sensor value determining a degree of
- 15 difference between the sensor value and an estimated sensor value revising the size and shape of a fuzzy logic membership function that is responsive to the degree of difference as an input and produces a signal indicative of the validity of the sensor value as an output determining whether the sensor value is valid, and repeating each of the foregoing steps for each of the plurality of sequential sensor values.

- 20 The method may also include the steps of calculating a value indicative of the collective degree of scatter of the individual degree of differences previously calculated. The step of calculating may be performed after each step of determining a degree of difference, and wherein the value indicative of the collective degree of scatter incorporates all of the previous individual degrees of difference. The value
- 25 indicative of the collective degree of scatter may be a standard deviation of prior degrees of difference previously calculated. The x-axis values of the membership function may themselves be functions of the standard deviation. The method may also include the step of calculating a plurality of the x-axis values every time the step of calculating a value indicative of the degree of scatter occurs. Each of the x-axis
- 30 values of the points of inflection may be associated with a value that is a function of the collective degree of scatter.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will become more fully understood from the following detailed description, taken in conjunction with the accompanying drawings, wherein like reference numerals refer to like parts, in which:

5 FIGURE 1 is a block diagram of a theoretical fuzzy logic sensor signal validity determining circuit;

FIGURE 2 illustrates the automatic adaptation circuit of the rulebase of FIGURE 1 showing how it accommodates changes in the signal level by changing the points of inflection of the membership functions based upon the statistical scatter of the difference between a raw sensor signal and an estimated value of that signal;

10

FIGURE 3 illustrates the simulator circuit that generates an estimated sensor signal (the "estimated output") and a raw sensor signal (the "actual output");

FIGURE 4A is an input membership function for the rulebase of FIGURE 1 having a wide acceptance level;

15 FIGURE 4B is an alternative input membership function for the rulebase of FIGURE 1 having a narrow acceptance level;

FIGURE 5 is a plot of a data set of sensor values processed using the wide input membership function of FIGURE 4A showing all the individual datapoints comprising the sensor values. These datapoints are identified as acceptable ("o") or unacceptable ("x");

20

FIGURE 6 is a plot of a data set of sensor values processed using the narrow input membership function of FIGURE 4B showing all the individual datapoints comprising the sensor values. These datapoints are identified as acceptable ("o") or unacceptable ("x");

25 FIGURE 7 is table that compares the validity of the raw sensor values as compared with estimated sensor values using two methods, the fuzzy logic validity method and a manual comparison method;

FIGURE 8 is a table that shows the percentage of agreement between the manual method and the fuzzy logic method by showing the percentage of datapoints for which both methods were in agreement; and

FIGURE 9 is a flowchart illustrating the fuzzy logic sensor signal validity determination method.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the discussion below we explain how the method of determining the validity of a sensor signal was simulated and tested to determine its viability. This was done by using a set of data created specifically for this purpose and saved to a computer file.

To devise a system to determine whether or not a sensor signal is valid (i.e. acceptable or unacceptable) and therefore whether or not it should be used in further computer processing, the first step is to develop a general structure of such a system and determine its feasibility. In this first step we developed a generic fuzzy quality module that can evaluate sensor output. The general structure of this module is shown in FIGURE 1.

In FIGURE 1, a signal whose quality or validity is to be determined is placed on input line 102. This signal is fuzzified in block 104 where it is converted into memberships in two or more fuzzy sets. A fuzzy logic inference engine then applies a plurality of rules from a rulebase to the set memberships in block 106. These rules have been empirically developed to determine whether or not the signal is valid or not. The output of the inference engine is then defuzzified in block 108 to provide a single output indicative of whether the signal is valid or not. If the signal is valid, it may then be used in further processing to automatically control some process. If not, it is discarded and is not used for process control. In the present application, the example sensor is a fiber optic gyro that provides a heading signal and the further processing is trajectory planning for automatic vehicle guidance. The specific sensor and application are merely exemplary, however, and form no part of the inventive method.

The structure shown in FIGURE 1 is flexible and can be easily applied to different problems by changing the number and type of membership functions. While the system shows a single input (for convenience of illustration), several signals may be fuzzified and collectively processed by the inference engine by the addition of
 5 several more input fuzzification blocks and adding additional rules to the rulebase used by the fuzzy logic inference engine.

To increase the generality and flexibility of the fuzzy quality analysis module, the generic fuzzy module was developed to simultaneously process sensor signals from many sensors. While only a single sensor signal is shown as an input in FIGURE
 10 1, the number of signals that can be simultaneously validated is limited only by the bandwidth of the processor used to apply the fuzzy logic algorithm.

The default design used trapezoidal membership functions (FIGURES 4A and 4B). Trapezoidal membership functions were chosen to simplify coding and tuning. The membership functions were initially read from a file; C functions were developed
 15 to allow the input and/or output membership functions to be changed during execution.

Changing the membership functions during execution allows the membership functions to be adaptively tuned for optimal performance. Examples of adaptive membership functions are shown in FIGURES 4A and 4B. As the number of inputs
 20 increases, it becomes increasingly difficult to organize and manage an explicit rules base. For example, with a four input system (as shown in the machine vision example below), a four dimensional space would be required to explicitly create the rules base. For this reason, each input was evaluated independently.

The input/output relationship was established by defining a mapping from the
 25 fuzzy input function to an appropriate fuzzy output function. The mapping was of the form "fuzzy input category X" is processed with "fuzzy output category Y". Each input category was assigned a varying fitness level from 0 to 1 based on the relative position within the membership function.

Defuzzification converted the fuzzy linguistic output into a crisp output. The
 30 fitness level was used to determine the relative strength of the appropriate output

membership function. A center of gravity approach was used to process the varying fitness output functions. The output from the individual inputs was summed together to create a composite output. The specific implementations of both systems are described below.

- 5 The goal was to develop and evaluate a fuzzy validation model that can be adapted for use with for many different types of sensors and signal values. For this reason, the overall structure shown in FIGURE 1 does not replicate a specific system using a specific sensor type or a specific number of sensors, but rather a single fuzzy logic based validation system that can produce a single output indicating the
10 acceptability of a sensor signal.

The intent is to show that a fuzzy logic validation technique can be applied to any arbitrary sensor. A system suitable for an arbitrary sensor can then be transferred to a specific sensor with relative ease. The simulation code, including the test signal and the fuzzy evaluation module, was written in C.

- 15 A fixed set of rules in the rulebase cannot accommodate a sensor signal that may vary over time. For example, some sensors have a significant amount of noise. As mentioned above in the Background, Kalman filtering has been used in the past to accommodate these signal values and estimate the true sensor level. Any fuzzy logic system that wishes to approach the flexibility and discriminating power of Kalman
20 filtering must also be able to accommodate a noisy signal.

- The rules in the rulebase of FIGURE 1 are therefore dynamically adapted to accommodate changes in the sensor signal. As the noise components of the signal predominate, the rulebase is redefined to accommodate the additional noise by widening the range of what is considered valid. If the signal has less noise, the
25 rulebase is redefined to accommodate the reduced noise levels by narrowing the range of what is valid.

- A statistical analysis was devised to automatically adapt the rules in the rulebase. This analysis determines the degree of scatter in the raw signal data as compared to the estimated sensor data. The output of this statistical analysis was then
30 used to modify the rules in the rulebase dynamically, as sensor signal data values

were received (in this case received from a data file previously generated).

FIGURE 2 illustrates the process and circuit for automatically adapting the rules in the rulebase. An estimated signal value ("Estimated Output" in FIGURE 2) is provided on line 202. The raw signal value ("Actual Output" in FIGURE 2) is provided on line 204. These two values are differenced in block 206 to provide a difference (or error) signal on line 208. This error signal is then evaluated in block 210 to determine whether the raw signal is good or bad. The output of block 210 is a validity signal on line 212 that is indicative of whether the signal on line 204 is good or bad, and therefore whether it should be ignored or used in further processing.

As each new error signal is generated, it is also processed in block 214 to generate the standard deviation of the error signal. The greater the scatter in the error signal, the greater the value of the standard deviation. In block 216, this standard deviation is applied to the membership functions of the rulebase (FIGURE 1) to adapt the membership functions of the rulebase in accordance with the degree of scatter in the error signal. It is this adaptation of the rulebase that lets the system accommodate sensor signals that have greater or lesser degrees of scatter as time goes by.

The circuit by which the estimated output and actual output signals were produced is illustrated in FIGURE 3. A sine wave generator circuit 302 produced a sine wave on signal line 304. The sine wave signal on line 304 was then applied to line 202 of FIGURE 2 as the estimated output signal.

The circuit that manufactures the actual output signal (the raw sensor signal) is also shown in FIGURE 3. The sine wave signal from generator 302 is applied to summation block 306 where it is combined with two simulated noise components generated by positive noise circuit 308 and negative noise circuit 310. It is this combined signal that was saved to file and used as the actual output signal (the raw sensor signal).

Positive noise circuit 308 includes a gain signal circuit 312 that generated a signal on line 314 that is indicative of a simulated amplitude of positive noise. This gain signal was, in turn, transmitted to a random noise source 316 which generated a normalized random noise component. The output of source 316 is a positive random

EB 1/26/01
GAR 1/26/01
D-S 1/26/01

noise component that is supplied to summation block 306 which adds it to the sine wave signal.

Negative noise circuit 310 includes a similar gain signal circuit 318 that is similarly coupled to a random noise circuit 320 and thence similarly transmitted to
 5 summation block 306 where it is subtracted from the sine wave signal. The output of the summation block is then applied to the actual output line 204 of FIGURE 2.

The circuit of FIGURE 3 illustrates a typical sensor signal that has a nominal sensor signal and a noise component. In this circuit, the sensor that is simulated provides a time varying signal, for convenience modeled here as a pure sine wave.
 10 For purposes of validating the method, however, this simulated signal is sufficient.

The nominal output from the simulated sensor was a 100-unit sine wave. An arbitrary, unitless scale was chosen for the simulated sensor signal. Incorporating positive and negative noise simulated a 'noisy' sensor. The noise terms were seeded independently each iteration of the simulation.

15 The noise terms had a range of -25.0 to $+25.0$ ($\mu = -0.646$, $\sigma = 0.289$). The additive noise gave the simulated sensor a slight negative bias, simulating an offset configuration or installation. Modeling an input signal was not the goal of the project; therefore an ideal estimator was assumed.

The estimator was implemented as the 'clean' or nominal sine wave. As
 20 shown in FIGURE 2, the difference (or error) between the actual and estimated sensor output, was used as the input to the validation module.

In this manner two input signals are generated, (1) a sine wave estimated sensor output signal and (2) a sine wave + positive noise + negative noise actual sensor output signal. The difference between the two signals is therefore a positive
 25 going and negative going random noise component. Hence, referring back to FIGURE 2, the error signal (i.e. the difference between the estimated output and the actual output) is a random noise component having both negative going and positive going components.

To test the fuzzy logic validation method, both the estimated output (the sine

wave signal) and the actual output (the sine wave-plus-noise signal) were produced to create several runs of several hundred pairs of values each (i.e. the estimated sensor value and the corresponding raw sensor value). These runs of several hundred pairs of values were digitally stored in computer files.

5 Graphical plots of two of these simulation runs are shown in FIGURES 5 and 6. The sine wave signal (the estimated output) is shown as sine waves 502 and 602 in FIGURES 5 and 6, respectively. The sine wave signal can be considered a pure or perfect estimated sensor value.

10 The sine wave-plus-noise signal is shown as the data points 504 and 604 in FIGURES 5 and 6, respectively. Note that the data points in both FIGURES 5 and 6 are shown both as dots and as small crosses. The dots represent the data points that the circuit of FIGURES 1 and 2 evaluated as acceptable or valid, and the crosses represent data points determined as unacceptable or invalid. The way in which this validation was performed will be discussed in more detail below. For the moment it is enough to know that all the data points in both FIGURES 5 and 6, regardless of their shape, represent a sine wave-plus-noise value, an "actual output" (FIGURE 2) value and graphically illustrate just two of the simulated sensor data sets (estimated and raw sensor values) created using the circuit of FIGURE 3.

20 Referring back to FIGURE 2, once the standard deviation (more generally the value indicative of the degree of scatter in the differences between estimated sensor values and actual sensor values) is calculated in the statistical processing circuit 214, it is then used to adapt the rules in the fuzzy logic rulebase 104 used to validate each sensor value. The rules in the rulebase are graphically shown in FIGURES 4A and 4B. The circuit that performs the adaptation is item 216 in FIGURE 2.

25 Referring now to FIGURES 4A and 4B, two membership functions for evaluating the validity of the sensor data are illustrated. These FIGURES represent rules in the rulebase of FIGURE 1. In both FIGURES, the membership function includes three trapezoidal domains that are symmetric about a value of zero error. "Error" (represented as " μ " in FIGURES 4A and 4B) refers to the difference between the raw sensor signal and the estimated sensor signal that is provided on signal line 30 208 of FIGURE 2.

There are three domains in each of these membership functions. The first is a central acceptable domain 402, 404 that is symmetric about an error value of zero. An error value of zero is achieved whenever the difference between the estimated output of the sensor is equal to the actual output of the sensor. Clearly, when the actual value and the estimated value are the same we have the canonical case wherein a sensor signal would be considered acceptable.

On either side of the central acceptable domains, are symmetrical unacceptable domains, 406, 408, 410, 412. Each of these domains is a mirror image of the other with respect to the central error " μ " value of zero. As the error increases, eventually these regions are reached and the corresponding raw sensor value (actual output) will be evaluated as unacceptable.

Note that the points of inflection of both the acceptable domains and the unacceptable domains projected onto the x-axis are identified not with constant error values, but by a constant value times sigma (σ). Sigma represents the standard deviation of the error. More generally it represents a value indicative of the degree of scatter in the sequentially calculated error values.

In FIGURE 4A, the values are -2σ , $-\sigma$, 0, σ , and 2σ . In FIGURE 4B the values are $-\sigma$, $-\frac{1}{2}\sigma$, 0, $\frac{1}{2}\sigma$, and σ . Generally speaking these can be thought of as the more general case of $[-2C_1\sigma, -C_1\sigma, C_1\sigma, 2C_1\sigma]$ where $C_1 = 1$ in FIGURE 4A, and $C_1 = \frac{1}{2}$ in FIGURE 4B.

As we explained above, every time a new sensor value is retrieved, the standard deviation of the error is recalculated. The values for the standard deviation are substituted into the membership functions and the x-axis values of the points of inflection for each of the domains are recalculated accordingly. This occurs in block 216 of FIGURE 2.

The result is that the membership functions adapt to respond to changes in the degree of scatter in the error.

Comparing FIGURES 4A and 4B, one can see that different sensors may be provided with different membership functions. FIGURE 4A illustrates a sensor with

EB
1/26/01
JLR
1/26/01
Drs
1/26/01

EB
1/26/01
JLR
1/26/01
Drs
1/26/01

a broad degree of acceptability, as indicated by the wide range of its acceptable domain from -2σ to 2σ . The sensor of FIGURE 4B has a narrower acceptable domain of $-\sigma$ to σ . We can therefore expect many more sensor values to be rejected using the membership function of FIGURE 4B than for the function of FIGURE 4A.

5 The generic fuzzy quality analysis module used the adaptively tuned membership functions to evaluate the sensor data in block 210. Again, the sensor data was the data previously developed and stored in a file. The results of this simulation are shown in FIGURES 5 and 6. The output membership functions were iteratively
10 tuned to provide a positive output for acceptable data (acceptable) and a negative output for unacceptable data (unacceptable). The two different width adaptive membership functions (FIGURES 4A and 4B) were simulated. The sensor variability, represented by the standard deviation of the error (σ), indicated the relative distribution of the data. The smaller the variation, the more apparent a single outlier becomes; conversely, increasing the variability makes it more difficult to
15 detect outliers. For both systems, both fuzzy logic membership functions, the standard deviation of the error was updated at each iteration through the loop and used to continually adjust the width of the membership functions. Four points on the x-axis (FIGURES 4A and 4B) defined the acceptable or acceptable sensor region: $[-2C_1\sigma, -C_1\sigma, C_1\sigma, 2C_1\sigma]$. C_1 was a width parameter that was used to vary the zone of
20 acceptance.

For the first case, shown in FIGURE 5 (and using the membership function of FIGURE 4A having a wide acceptability), C_1 was set to 1, creating a zone of acceptance that was described by $[-2\sigma, -\sigma, \sigma, 2\sigma]$.

25 For the second case, shown in FIGURE 6 (and using the membership function of FIGURE 4B having a narrow acceptability), C_1 was decreased to $\frac{1}{2}$, forming a zone of acceptance that was described by $[-\sigma, -\frac{1}{2}\sigma, \frac{1}{2}\sigma, \sigma]$. Outside the first parameter, the fitness value was zero.

30 The fitness value increased linearly from the first parameter ($-2C_1\sigma$) to the second parameter ($-C_1\sigma$). From the second parameter to the third parameter ($C_1\sigma$), the fitness value remained constant at a maximum fitness of 1. The fitness value decreased linearly from the third parameter to the fourth parameter ($2C_1\sigma$). The

unacceptable (unacceptable) regions were defined to overlap the outer two parameters as shown in FIGURES 4A and 4B. They were also linear between $-2C_1\sigma$ and $-C_1\sigma$ as well as between $C_1\sigma$ and $2C_1\sigma$ but with the identical (but negative) slope.

Referring now to FIGURES 5 and 6, shrinking the zone of acceptance increased the number of data points rejected by the system as indicated by the increased number of signal values marked with "x". The zones of acceptance were used both for adaptively tuning the membership functions and to evaluate the performance of the algorithm. The simulation was repeated five times for both the narrow and wide adaptive classes. Each simulation was 499 iterations, one iteration for each of the data points shown in FIGURES 5 and 6.

Representative results for the wide adaptive class are shown in FIGURE 5. Representative results for one of the narrow adaptive class simulations are shown in FIGURE 6. The points indicated with an "x" were considered unacceptable by the fuzzy quality analysis system.

The progressive adaptation of the system to the changing degree of scatter in the data can be seen in both FIGURE 5 and FIGURE 6. In both cases, the standard deviation of the error was initially low, creating a narrow adaptive acceptance region. This narrow region led to an increased rejection rate early in the simulation. This can be seen by the high rejection rate on the left side of the graphs of FIGURES 5 and 6.

As the simulation progressed, the adaptive regions reached a stable width. In FIGURES 5 and 6, the system rejected more points early on; as the system built a history of the prior results (i.e. as it repetitively modified the membership functions with each iteration), the rejection rate decreased, and only significant outliers were discarded.

EVALUATION

The improvement this fuzzy quality analysis method offers can be readily seen by comparing the performance of the fuzzy adaptive quality analysis module to a crisp manual evaluation scheme -- by manually comparing the absolute value of the sensor error to the zone of acceptance defined in the membership functions as shown

in FIGURES 7 and 8.

FIGURE 7 compares (a) the results that would have been achieved using two crisp zones of acceptance of $1C_1\sigma$ and $2C_1\sigma$, with (b) the results achieved by using the fuzzy quality analysis method described above.

5 In the first rows of FIGURE 7, the number of datapoints accepted using the wide criteria of FIGURE 4A are compared with these two crisp zones (where $C_1=1$).

In the lower rows of FIGURE 7, the number of datapoints accepted using the narrow criteria of FIGURE 4B are compared with the same two crisp zones (where $C_1=0.5$).

10 The effect was magnified as the width of the acceptance zone decreased. The crisp manual evaluation scheme tended to be overly conservative for narrow acceptance regions ($C_1\sigma$), rating potentially useable readings as unacceptable. As the width of the acceptance region increased ($2C_1\sigma$), the crisp manual evaluation scheme became overly permissive and rated questionable results as acceptable. In contrast,
15 with the fuzzy system, results that fell between regions were rated accordingly.

FIGURE 7 shows that the overall number of data point rejections and acceptances are substantially the same for both the manual and the fuzzy logic system. Nonetheless, the results do not tell us the degree to which each individual datapoint was treated in the same manner by both the manual classification method and the
20 fuzzy logic quality analysis method.

FIGURE 8 compares the fuzzy quality analysis method with a manual classification method on a datapoint-by-datapoint basis by classifying the fuzzy quality results as TRUE or FALSE depending on whether the manual and fuzzy evaluation schemes agreed. A TRUE result indicates that the manual and fuzzy
25 evaluation schemes classified a data point the same way. A FALSE result indicates disagreement between the two evaluation methodologies. Classification of TRUE or FALSE, however, was unaffected by the relative quality of the individual sensor readings; classification depended only on the agreement between the two methods.

A comparison between the two evaluation schemes indicates average

agreement between 82.98% and 87.05%. The highest agreement occurred with the narrowest (Narrow $C_{1\sigma}$) classes, which tended to reject both evaluation schemes

The simulation shows that a fuzzy evaluation scheme can be used to validate sensor output. Adaptive membership functions allowed the definition of acceptability to be related to the current performance of the system.

The method that was simulated above indicates that a fuzzy quality evaluation method is workable and provides results that are comparable to a manual classification method.

Referring now to FIGURE 9 you can see a flow chart of the steps performed by the fuzzy logic sensor data validation method. In block 902, the process begins. The first step is shown in block 904 in which a raw sensor value is retrieved from the sensor. Again, this can be any sensor. In block 906, an estimated sensor value is retrieved. In block 908, the method determines the degree of scatter between the raw and the estimated sensor values. In block 910, the fuzzy logic rulebase is modified or adapted based upon the degree of scatter indicated in block 908. In block 912, the modified rulebase is used to evaluate the current sensor value to determine its validity or invalidity. In block 914, the sensor value is rejected if invalid and accepted if valid. In block 916, the system determines whether or not there are additional sensor values. If so, it begins the process again at block 904 where it retrieves a second sequential (in time) sensor value and repeats the process. If there are no more sensor values, the process is halted in block 918. In the preferred embodiment, this algorithm will be implemented on a digital microcomputer or microcontroller. The sensor signal, while it may be received from previously gathered data, will preferably be transmitted to the computer in real time as the sensor responds to additions in the changing conditions in the sensed environment. In the preferred embodiment, when the sensor value is rejected it will merely be ignored in subsequent processing steps. Subsequent processing steps may include a wide range of automatic activity, typically executed by an appropriately programmed microprocessor or microcontroller. An example of such a process is trajectory planning algorithm that determines what direction an agricultural vehicle should turn in order to stay on a planned path. A typical sensor that might be employed could be a camera for a vehicle navigation

system, a heading sensor for such a vehicle, a steering angle sensor for such a vehicle, or a GPS receiver for such a vehicle. It should be understood, however, that any particular sensor or particular application is not deemed to be within the scope of the attached claims as filed.

- 5 While the embodiments illustrated in the FIGURES and described above are presently preferred, it should be understood that these embodiments are offered by way of example only. The invention is not intended to be limited to any particular embodiment, but is intended to extend to various modifications that nevertheless fall within the scope of the appended claims.

10

11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207